

Overzicht wetenschappelijke publicaties door NPI medewerkers

2019

Van HL, Kool M (2019) Integrated treatment for patients with comorbid depression and personality disorders. *Current Opinion in Psychiatry* DOI: 10.1097/YCO.0000000000000557

Koppers D, Kool M, Van HL, Peen J, Dekker J (2019). The effect of comorbid personality disorder on depression outcome after short-term psychotherapy in a randomised clinical trial. *British Journal of Psychiatry Open*. July 2019.

Cohen ZD, Kim T, Dekker J, Van HL, Driessens E (2019) A demonstration of a multi-method variable selection approach for treatment selection: Recommending cognitive-behavioral versus psychodynamic therapy for mild to moderate adult depression. *Psychotherapy Research*. DOI: 10.1080/10503307.

Van HL (2019). Waardoor werkt psychotherapie? *Nederlands Tijdschrift voor Geneeskunde* 163; 16:17-22.

Van HL (2019). De toekomst is aan de psychodynamische psychiatrie. *Tijdschrift voor Psychiatrie* 61:4 –6

Cuijpers P, Reijnders M, Huibers MJH (2019). The role of common factors in psychotherapy outcome. *Annual Review of Clinical Psychology*, May 7;15:207-231.

Bruijniks SJE, Peeters FPML, Strunk DR, Huibers MJH (2019). Measuring Patients' Acquisition of Therapy Skills in Psychotherapy for Depression: Assessing the CCTS-SR and the IPSS-SR. *Am J Psychother* 72:67-74.

Van Bentum JS, Sijbrandij M, Kerkhof AJFM, Huisman A, Arntz AR, Holmes EA, Franx G, Mokkenstorm J, Huibers MJH (2019). Treating repetitive suicidal intrusions using eye movements: study protocol for a multicenter randomized clinical trial. *BMC Psychiatry*. May 9;19(1):143.

Christ C, de Waal M, Dekker JJM, van Kuijk I, van Schaik D, Kikkert M, Goudriaan AE, Beekman ATF, Messman-Moore T (2019) . Linking childhood emotional abuse and depressive symptoms: The role of emotion dysregulation and interpersonal problems. *PLoS ONE* 14(2):e0211882. "

Christ C, Ten Have M, de Graaf R, van Schaik D, Kikkert M, Dekker JJM, Beekman ATF (2019). Mental disorders and the risk of adult violent and psychological victimisation: a prospective, population-based study. *Epidemiology and Psychiatric Sciences* Jan 1-10

Smits M, Feenstra DJ, Eeren H, Bales DL, Laurensen E, Blankers M, Soons M, Dekker J, Verheul R, Luyten P (2019). Day hospital versus intensive out-patient mentalisation-based treatment for borderline personality disorder: multicentre randomised clinical trial. *British Journal of Psychiatry* doi: 10.1192/bjp.2019.9

Veen M, Wierdsma AI, van Boeijen C, Dekker J, Zoeteman J, Koekkoek B, Mulder CL (2019). Suicide risk, personality disorder and hospital admission after assessment by psychiatric emergency services. *BMC Psychiatry* 19:157 <https://doi.org/10.1186/s12888-019-2145-0>

2018

Kool, M, Van HL, Bartak A, Arntz A, van den Eshof JW, Peen J, Dekker J (2018). Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): a pragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. *BMC Psychiatry*, 18:1-15.

Jonge de M, Bockting C, van Oppen P, Peen J, Van HL, Dekker J (2018) The association between the number of previous episodes and modifiable vulnerability factors in remitted patients with recurrent depression. *PLoSOne* doi.org/10.1371/journal.pone.0206495.

Van HL, Kool M (2018). Treating comorbid depression and personality disorders in DSM-5 and ICD-11- Author's reply. *The Lancet Psychiatry* 5:875-876

Van HL, Kool M (2018). What we do, do not, and need to know about comorbid depression and personality disorders. *The Lancet Psychiatry* 5:776-778.

Bekhuis E, Schoevers R, de Boer M, Peen J, Dekker J, Van HL, Boschloo L (2018). Symptom-Specific Effects of Psychotherapy versus Combined Therapy in the Treatment of Mild to Moderate Depression: A Network Approach. *Psychotherapy and Psychosomatics* 87: 121-123.

Driessen E, Abbass A, Barber J, Connolly Gibbons M, Dekker J, Fonagy P, Hollon SD, Jansma E, Town JM, Twisk J, Van HL, Weitz E, Cuijpers P (2018). Which patients benefit specifically from short-term psychodynamic psychotherapy (STPP) for depression? Study protocol of a systematic review and meta-analysis of individual participant data. *British Medical Journal Open* 8(2): e018900.

Schutter N, van der Flier-van Eek M, Tulner C, Peen J, Van HL (2018). Discrepancies in gerapporteerde medicatiegebruik bij ouderen in ambulante psychiatrische behandeling, *Tijdschrift voor Psychiatrie* 60: 601-605.

Hutsebaut J, Willemsen E, Van HL (2018). Tijd voor cluster C-persoonlijkheidsstoornissen: state of the art. *Tijdschrift voor Psychiatrie* 60: 306 – 314

Beekman ATF, van Amelsvoort T, Van HL, Goethals KR (2018). Personalised medicine: een wenkend perspectief voor de psychiatrie? *Tijdschrift voor Psychiatrie* 60: 142 - 144

Noteboom A, Dil LM, Van HL (2018). Is een gepersonaliseerde benadering bij de borderlinepersoonlijkheidsstoornis zinvol? *Tijdschrift voor Psychiatrie* 60: 174-184.

Van HL (2018). Lezen is goed voor u! *Tijdschrift voor Psychiatrie* 60: 4 - 6

Van Grieken RA, et al. Use and helpfulness of self-management strategies: a nationwide survey among depressed patients. *PLoS One* 2018 Oct 25;13(10):e0206262.

Van Grieken RA & Ingenhoven TJM (2018). Psychotherapieën voor de borderline persoonlijkheidsstoornis zijn effectief. *Nederlands Tijdschrift voor Geneeskunde* 162:D2469.

Polak M, van Riel L, Ingenhoven T, Van HL (2018). The Developmental Profile Inventory: Constructing a Clinically Useful Self-Report for Levels of Psychodynamic Personality Functioning. *Journal of Psychiatric Practice* 24:239-252.

Laurensen EMP, Luyten P, Kikkert MJ, Westra D, Peen J, Soons MBJ, van Dam AM, van Broekhuyzen AJ, Blankers M, Busschbach JJV, Dekker JJM (2018). Day hospital mentalization-based treatment v. specialist treatment as usual in patients with borderline personality disorder: randomized controlled trial. *Psychological Medicin*. 48:2522-2529.

van Oenen FJ Schipper S, Van HL, Peen J, Cornelis J, Schoevers R, Dekker J (2018). Involving relatives in emergency psychiatry: an observational patient-control study in a crisis resolution and home treatment team. *Journal of Family Therapy* 40, 584–601

2017

Driessen E, Van HL, Twisk J, Don F, Peen J, Cuijpers P, Dekker J, (2017) Cognitive-behavioral versus psychodynamic therapy for major depression: secondary outcomes of a randomized clinical trial. *Journal of Consulting and Clinical Psychology* 85:653-663

Lorenzo-Luaces L, Driessen E, Van HL, Keefe J, Hendriksen M, DeRubeis R, Dekker J (2017). Moderation of the alliance-outcome correlation: A differential role of recurrence in cognitive-behavioral and psychodynamic therapies for depression. *Behavior Therapy* 48:581-595.

Van HL (2017). Verleng de opleiding tot psychiater!. *Tijdschrift voor Psychiatrie* 59: 393-396.

van Riel L, Ingenhoven T, van Dam Q, Polak M, Vollema M, Willems A, Berghuis H, van Megen H (2017). Borderline or schizotypal? Differential psychodynamic assessment in severe personality disorder. *Journal of Psychiatric Practice* 23:101-113.

de Jong K, Seghaar J, Ingenhoven Th, van Busschbach J, Timman R (2017). Adverse effects of routine outcome monitoring feedback in patients with personality disorders? A randomized controlled trial in day treatment and inpatient psychotherapy. *Journal of Personality Disorders*, 32:1-21

Berghuis H, Ingenhoven Th, van der Heijden P, Rossi G, Schotte C (2017). Assessment of pathological traits in DSM-5 personality disorders by the DAPP-BQ: How do these traits relate to the six personality disorder types of the alternative model? *Journal of Personality Disorders*, 31, 1-22.

Jonge de M, Dekker JJ, Kikkert MJ, Peen J, van Rijsbergen GD, Bockting CL (2017). The role of affect in predicting depressive symptomatology in remitted recurrently depressed patients. *J Affect Disord.* 210:66-71.

2016

Holwerda TJ, van Tilburg TG, Deeg DJ, Schutter N, Van R, Dekker J, Stek ML, Beekman AT, Schoevers RA (2016). Impact of loneliness and depression on mortality: results from the Longitudinal Ageing Study Amsterdam. *British Journal of Psychiatry* 209:127-34

Driessen E, Smits N, Dekker J, Don K, Peen J, Kool S, Westra D, Hendriksen M, Cuijpers P, Van HL (2016) Differential effects of cognitive behavioral therapy and psychodynamic therapy for major depression: a study of prescriptive factors. *Psychological Medicin* 44:731-744

Van HL (2016). Van diagnoses die verschijnen en verdwijnen. *Tijdschrift voor Psychiatrie* 58: 176-179.

Dil LD, Dekker J, Van HL, Schalkwijk F (2016.)A Short-term Psychodynamic Supportive Psychotherapy for Adolescents with Depressive Disorders: A New Approach. *Journal of Infant, Child and Adolescent Psychotherapy* 15:84-94.

Van Grieken RA, et al (2016). Helpful factors in the treatment of depression from the patient's, carer's and professional's perspective: a concept map study. *PLoS One* 11(12):e0167719.

De Saeger, H., Bartak, A., Eder, E.E. and Kamphuis, J.H. (2016). Memorable experiences in therapeutic assessment: inviting the patient's perspective following a pretreatment randomized controlled trial. *Journal of Personality Assessment*, 98(5), 472-479.

Schalkwijk FW, Dekker J, Peen J, Stams GJ (2016). Narcissism, self-esteem, shame regulation and juvenile delinquency. *Forensic Science and Criminology* 2016 (1); 1-5. doi: 10.15761/FSC.1000105

Laurensen EM, Eeren HV, Kikkert MJ, Peen J, Westra D, Dekker JJ, Busschbach JJ (2016). The burden of disease in patients eligible for mentalization-based treatment (MBT): quality of life and costs. *Health Qual Life Outcomes*. 12;14(1):145.

2014

Berg, Elske van den, J. Peen, R. van Empelen, J. Dekker (2014). Groepstherapie voor obesitas: maakt het vooruitzicht van een operatie verschil? Directieve Therapie, 2014; 34 (2): 130-141.
http://dth.boomtijdschriften.nl/artikelen/DT-34-2-6_Groepstherapie%20voor%20obesitas.html

Hendriksen M, Peen J, Van R, Barber JP, Dekker J (2014) Is the alliance always a predictor of change in psychotherapy for depression? *Psychotherapy Research.* 24(2): 160-170, 2014.
<http://www.tandfonline.com/doi/abs/10.1080/10503307.2013.847987>

Post, L. van der; Peen, J.; Visch, I.; Mulder CL; Beekman AT; Dekker, JJ. (2014) Patient perspectives and the risk of compulsory admission: the Amsterdam Study of Acute Psychiatry V. International Journal of Social Psychiatry, 2014; 60 (2): 125-133. <http://www.ncbi.nlm.nih.gov/pubmed/23333906>

Post LF van der, Peen J, Dekker JJ (2014) A prediction model for the incidence of civil detention for crisis patients with psychiatric illnesses: the Amsterdam study of acute psychiatry VII. Social Psychiatry & Psychiatric Epidemiology. 49(2): 283-290.
<http://www.ncbi.nlm.nih.gov/pubmed/23863912>

Dekker J, Hendriksen M, Kool S, Bakker L, Driessen E, Maat de S, Peen J, Van HL (2014). Growing evidence for Psychodynamic Therapy for depression. Contemporary Psychoanalysis 50:131-155.

Driessen E, Van HL, Don K, Peen J, Kool S, Westra D, Hendriksen M, Cuijpers P, Twisk J, Dekker J (2014). Therapist rated outcomes of a randomized clinical trial comparing Cognitive Behavioral Therapy and Psychodynamic Therapy for depression. Journal of Affective Disorders (In Press).

Wiersma JE, Oppen van P, Schaik van D, Hoogendorn A, Van HL, Dekker J, Schoevers R, Blom MBJ, McCullough JP, Beekman ATF (2014). The Effectiveness of Cognitive Behavioral Analysis System of Psychotherapy for Chronic Depression: A Multisite Randomized Controlled Trial. Psychother Psychosom 83:263-269

Oenen van FJ, Schipper S, Van HL, Peen J, Dekker J (2014). Efficacy of immediate patient feedback in emergency psychiatry: A randomized controlled trial in a Crisis Intervention & Brief Therapy Team. BMC Psychiatry 13 331.

Driessen E, Cuijpers P, Hollon SD, Van HL, Dekker J (2014). De effectiviteit van psychologische behandelingen voor depressie: overzicht van nieuwe onderzoeksbevindingen Tijdschrift voor Psychiatrie 56:455-462

Van HL (2014). De psychiater maakt het verschil. Tijdschrift voor Psychiatrie 56:76-78.

2013

Dekker J, Van HL, Hendriksen M., Koelen J, Schoevers RA, Kool S, Aalst G. van, Peen J (2013) What is the best sequential treatment strategy in the treatment of depression?: adding pharmacotherapy to psychotherapy or vice versa? *Psychotherapy and Psychosomatics*; 82 (2):89-98.

<http://www.ncbi.nlm.nih.gov/pubmed/23295630>

Dekker J, Theunissen J, Van R, Kikkert M, van der Post L, Zoeteman J, Peen J. Are long-term psychiatric patients causing more crisis consultations outside office hours in mental health care? *Int J Soc Psychiatry*. 2013 Sep;59(6):555-560. <http://www.ncbi.nlm.nih.gov/pubmed/22733002>

Maat S de, Jonghe F. de, Kraker R. de, Leichsenring F, Abbass A, Luyten P, Barber JP, Van R, Dekker, J. (2013) The current state of the empirical evidence for psychoanalysis: a meta-analytic approach. *Harvard Review of Psychiatry*, 2013; 21 (3): 107-137.

<http://www.ncbi.nlm.nih.gov/pubmed/23660968>

Heer, EW de; J Dekker, JF van Eck van der Sluijs, ATF Beekman, HWJ van Marwijk, TJ Holwerda, PM Bet, J Roth, L Hakkaart-Van Roijen, L Ringoir, F Kat, CM van der Feltz-Cornelis (2013) Effectiveness and cost-effectiveness of transmural collaborative care with consultation letter (TCCCL) and duloxetine for major depressive disorder (MDD) AND (sub)chronic pain in collaboration with primary care: design of a randomized placebo-controlled multi-Centre trial: TCC:PAINDIP. *BMC Psychiatry*, 2013, 13:147. <http://www.biomedcentral.com/1471-244X/13/147>

Vothknecht, S., Meijer, C., Zwinderman, A., Kikkert, M., Dekker,J., Beveren, N. van, Schoevers, R., Haan, L. de (2013) Psychometric evaluation of the subjective well-being under neuroleptic treatment scale (SWN) in patients with schizophrenia, their relatives and controls. *Psychiatry Research* 2013; 206 (1):62-67. <http://www.ncbi.nlm.nih.gov/pubmed/23021423>

Schrier AC, Wit MA de, Krol A, Fassaert TJ, Verhoeff AP, Kupka RW, Dekker J, Beekman AT (2013). Similar associations between personality dimensions and anxiety or depressive disorders in a population study of Turkish-Dutch, Moroccan-Dutch, and native Dutch subjects. *Journal of Nervous and Mental Disease*, 2013; 201 (5): 421-428. <http://www.ncbi.nlm.nih.gov/pubmed/23595096>

Driessen E, Van HL, Don FJ, Peen J, Kool S, Westra D, Hendriksen M, Schoevers RA, Cuijpers P, Twisk JW, Dekker, JJ. (2013). The efficacy of cognitive-behavioral therapy and psychodynamic therapy in the outpatient treatment of major depression: a randomized clinical trial. *American Journal of Psychiatry*, 2013;170(9): 1041-1050. <http://ajp.psychiatryonline.org/article.aspx?articleID=1734470>

Swets M, Dekker J, van Emmerik-van Oortmerssen K, Smid GE, Smit F, de Haan L, Schoevers RA (2014) The obsessive compulsive spectrum in schizophrenia, a meta-analysis and meta-regression exploring prevalence rates. *Schizophrenia Research*. 152(2-3): 458-468.
<http://www.ncbi.nlm.nih.gov/pubmed/24361303>

Driessen E, Van HL, Peen J, Don J, Peen J, Kool S, Hendriksen M, Cuijpers P, Twisk J, Dekker J (2013). The efficacy of Cognitive Behavioral Therapy and Psychodynamic Therapy in major depressive disorder: a randomized clinical trial. *The American Journal of Psychiatry* 170: 1041-1050.

Jonghe de F, Maat de S, Hendriksen M, Nooteboom A, Dekker J, Van HL (2013). Schort-term Psychoanalytic Supportive Psychotherapy for Depression. *Psychoanalytic Inquiry* 33 (6): 614-625.

Maat de S, Jonghe de F, Kraker de R, Leichsenring F, Abbass A, Luyten P, Barber J, Van HL, Dekker J (2013) : Current state of the empirical evidence for psychoanalysis: a meta-analytic approach. *Harvard Review of Psychiatry*. 21 (3): 107-137.

Dekker J, Van HL, Hendriksen M, Koelen J, Kool S, Schoevers R, Peen J (2013). What is the best sequential treatment strategy in the treatment of depression? Adding pharmacotherapy to psychotherapy or vice versa? *Psychotherapy & Psychosomatics* 82:89-98

Dekker J, Theunissen J, Van HL, Kikkert, Post van der L, Zoeteman J, Peen J (2013.) Are long-term psychiatric patients causing more crisis consultations outside office hours in mental health care? *Int J Soc Psychiatry* 59 (6): 555-560

De Jonghe A, Van HL, Peen J (2013). De rol van patiëntkenmerken bij indicatiestelling voor psychodynamische psychotherapie. *Tijdschrift voor Psychiatrie* 55:35-44.

Hendriksen M, Dekker J, de Jonghe F, Gijsbers van Wijk C, Peen J, Van HL (2013). Afweerstijlen therapeutische techniek als voorspellers voor uitkomst van psychodynamische psychotherapie bij depressie. *Tijdschrift voor Psychiatrie* 55:247-255

2012

Dekker, J., De Jonghe, F., Noteboom, A., Van, R. (2012) Encounter between cultures. 42ste jaarlijkse congres SPR. Bern, 20 juni-2 juli 2011. *Tijdschrift voor Psychotherapie*, 2012; 38 (2): 143-146.
<http://link.springer.com/article/10.1007%2Fs12485-012-0015-z>

Eurelings-Bontekoe, E., Peen, J., Noteboom, A., Alkema, M., Dekker, J. (2012) Differential treatment response of subtypes of patients with borderline personality organization, as assessed with theorydriven profiles of the Dutch short form of the MMPI: a naturalistic follow-up study. *Journal of Personality Assessment*, 2012; 94 (4):380-392. <http://www.ncbi.nlm.nih.gov/pubmed/22497539>

De Jonghe, F., Maat, S.de, Barber,JP, Abbas, A., Luyten, P., Gomperts, W., Swinkels, J., Dekker, J. (2012) Designs for studying the efffectiveness of long-term psychoanalytic treatments: balancing level of evidence and acceptability of patients. *Journal of the American Psychoanalytic Association*, 2012 Apr; 60 (2):361-387. <http://www.ncbi.nlm.nih.gov/pubmed/22582323>

Post LF van der, Mulder CL, Peen J, Visch I, Dekker, Beekman AT. (2012) Social support and risk of compulsory admission: part IV of the Amsterdam Study of Acute Psychiatry. *Psychiatric Services*. 2012; 63 (6): 577-583. <http://www.ncbi.nlm.nih.gov/pubmed/22638005>

Eurelings-Bontekoe EH, Peen J, Noteboom A, Alkema M, Dekker J. (2012) Differential treatment response of subtypes of patients with borderline personality organization, as assessed with theorydriven profiles of the Dutch short form of the MMPI: a naturalistic follow-up study. *J Pers Assess.* 2012;94 (4): 380-392. <http://www.ncbi.nlm.nih.gov/pubmed/22497539>

Dekker Jen Van HL. (2012) Bona fide or non-bona fide? Reply to Dr. Spielmans et al. (2012). *Journal of Nervous and Mental Disease* 200 (3): 274-275. <http://www.ncbi.nlm.nih.gov/pubmed/22373772>

Schrier A, Ujcic-Voortman JK, Wit M de, Verhoeff AP, Kupka R, Dekker J, Beekman AT (2012) Ethnic differences in the association between cardiovascular risk factors and psychological distress in a population study in the Netherlands *BMC Public Health*, 2012, 12:1090. <http://www.biomedcentral.com/1471-2458/12/1090>

Dekker Jen Van HL. Bona fide or non-bona fide? Reply to Dr. Spielmans et al. (2012). *Journal of Nervous and Mental Disease* 200:274-275

Van HL (2012). Relevantie van een psychoanalytische diagnose. Boekbespreking Psychoanalytic diagnosis, N McWilliams. *Tijdschrift voor Psychoanalyse* 18: 297-299

Van HL (2012). Neuropsychoanalysis in practice. Brain, self, and objects, G Northoff. Boekbespreking. *Tijdschrift voor Psychiatrie* 54:671-672.

Voermans H, Van HL, Peen J, Hengeveld M (2012). Bespreken van sexuele problemen door psychieters en aiossen: Een verkennend onderzoek. *Tijdschrift voor Psychiatrie* 54:9-16

2011

Molenaar PJ, Boom Y, Peen J, Schoevers RA, Van R, Dekker JJ. (2011) Is there a dose -effect relationship between the number of psychotherapy sessions and improvement of social functioning? Br J Clin Psychol. 2011 Sep; 50 (3), 268-282. <http://www.ncbi.nlm.nih.gov/pubmed/21810106>

Mulder WG, Bernardt CML, Dam JMC van en Dekker JJM (2011) De Kwaliteit van zorg. In: Handboek Spoedeisende psychiatrie [red. Achilles, Beertshuis, Van Ewijk] 2e ed., Amsterdam, Benecke, 405-409. <http://www.tijdschriftvoorpsychiatrie.nl/issues/455/articles/9481>

Schrier AC, Wit MAS de, Coupé VMH, Verhoeff AP, Kupka RW, Dekker JJM en ATF Beekman (2011) Comorbidity of anxiety and depressive disorders: a comparative population study in Western and non-Western inhabitants in the Netherlands. International Journal of Social Psychiatry 2012; 58 (2): 186-194. <http://www.ncbi.nlm.nih.gov/pubmed/21307085> en full text: http://www.google.nl/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=0CDQQFjAB&url=http%3A%2F%2Fdare.ubvu.vu.nl%2Fbitstream%2Fhandle%2F1871%2F43566%2Fchapter_4_comorbidity_o_f_anxiety_and_depression.pdf%3Fsequence%3D5&ei=w5SyU9icGYHmOq6vbgK&usg=AFQjCNG9yxlEmLq05AM2sIppITDiqvXnzA&bvm=bv.69837884,d.ZWU

Fassaert T, Wit MAS de, Tuinebreijer WC, Knipscheer JW, Verhoeff AP, Beekman ATF en Dekker JJM (2011) Acculturation and psychological distress among non-Western muslim migrants: a populationbased survey. International Journal of Social Psychiatry, 57 (2), 132-143. <http://isp.sagepub.com/content/57/2/132.abstract>

Bockting CLH, Kokk GD, Kamp L van der, Smit F, Valen E van, Schoevers R, Marwijk H van, Cuijpers P, Riper H, Dekker J en AT Beck (2011) Disrupting the rhythm of depression using Mobile Cognitive Therapy for recurrent depression: randomized controlled trial design and protocol. BMC Psychiatry, www.biomedcentral.com/1471-244X/11/12

Kikkert MJ, Koeter MWJ, Dekker JJM, Burti L, Robson D, Puschner Ben AH Schene (2011) The predictive validity of subjective adherence measures in patients with schizophrenia. International journal of methods in psychiatric research, 20 (2), 73-81. <http://www.ncbi.nlm.nih.gov/pubmed/21557378>

Battak A, Andrea H, Spreeuwenberg MD, Thunissen M, Ziegler UM, Dekker JJM, Bouvy F, Hamers EFM, Meerman AMMA, Busschbach JJ, Verheul R, Stijnen Th en PMG Emmelkamp (2011) Patients

with cluster A personality disorders in psychotherapy: an effectiveness study. *Psychotherapy and Psychosomatics*, 80 (2): 88-99. <http://www.ncbi.nlm.nih.gov/pubmed/21196806>

Loon A van, Schaik DJF van, Dekker JJM en ATF Beekman (2011) Effectiveness of an intercultural module added to the treatment guidelines for Moroccan and Turkish patients with depressive and anxiety disorders. *BMC Psychiatry*. 2011 Jan 19;11:13. Full text: <http://www.biomedcentral.com/content/pdf/1471-244X-11-13.pdf>

Peen J, Theunissen J, Duurkoop P, Kikkert M en J. Dekker (2011) Na de extramuralisering: een retrospectief onderzoek naar omvang en zorggebruik van de groep chronische patiënten in de Amsterdamse ggz. *Tijdschrift voor Psychiatrie*, 53 (8), 509-517. Full text: <http://www.tijdschriftvoorpsychiatrie.nl/issues/444/articles/9179>

Koppers D, Peen J, Niekerken S, Van R en J Dekker (2011) Prevalence and risk factors for recurrence of depression five years after short term psychodynamic therapy. *J Affective Disorders*, 134(13):468-472. <http://dspace.ubvu.vu.nl/bitstream/handle/1871/36222/269238.pdf?sequence=1>

Molenaar PJ, Peen J, Van HL, Boom Y, Dekker J (2011). Is there a dose-effect relationship between the number of psychotherapy sessions and improvement of social functioning? *British Journal of Clinical Psychology* 50: 268-282

Dekker J, Theunissen J, Van HL, Peen J, Duurkoop P, Kikkert M (2011). Victimization of patients with severe psychiatric disorders: prevalence, risk factors, protective factors and consequences for mental health. A longitudinal study. *BMC Public Health* 10:687

Hendriksen M, Van HL, Schoevers R, Jonghe de F, Gijsbers van Wijk C, Peen J, Dekker J (2011). Therapist Judgment of Defense Styles and Therapeutic Technique Related to Outcome in Psychodynamic Psychotherapy for Depression. *Psychotherapy & Psychosomatics* 80:377-379.

Koppers D, Peen J, Niekerken S, Van HL, Dekker J (2011). Prevalence and risk factors for recurrence of depression five years after short term psychodynamic therapy. *Journal of Affective Disorders* 134: 468-472

Dil LM, Van HL (2011). Kortdurende psychodynamische steungevende psychotherapie bij adolescenten. *Tijdschrift voor Psychotherapie* 37:99-115.

Oude Elbrink A, Odijn M, Kwa V, Van HL (2011). Theatrale persoonlijkheids-stoornis met regressie en conversie: een meningeoom! Tijdschrift voor Psychiatrie 53:371-376

Van HL (2011). Psychodynamische visies op depressie. In: Handboek Psychodynamiek. Red J Dirkx, R Vermote, M Hebbrecht. Utrecht: De Tijdstroom. H 38: pg 445-457.

Van HL, Abraham R (2011) Psychodynamiek en DSM. In: Handboek Psychodynamiek. Red J Dirkx, R Vermote, M Hebbrecht. Utrecht: De Tijdstroom. H 15: pg 185-201.

Kool S, Van HL (2011). Comorbiditeit affectieve stoornissen. Handboek Borderline Persoonlijkheidstoornis. Red. Th Ingenhoven, A van Reekum, P Luyten, Utrecht: De Tijdstroom. H 11; pg 301-311.

Van HL (2011). Toepassing van drang en dwang. In: Handboek Spoedeisende Psychiatrie. Red RA Achilles, V Beerthuis, W van Ewijk. Amsterdam: Benecke. H 16, pg 277-291.

Van HL (2011). Juridische verantwoording en klachtrecht. In: Handboek Spoedeisende Psychiatrie. Red RA Achilles, V Beerthuis, W van Ewijk. Amsterdam: Benecke. H 42, pg 583-589.

2010

Olthof, I., Berg, E.M. van den, Dekker, J. (2010). Morbide obesitas: behandelen of bezwijken? Effectstudie van een multidisciplinaire groepsbehandeling in een kliniek voor eetstoornissen. Psychologie & Gezondheid, 38 (2), 57-65. <http://link.springer.com/article/10.1007%2FBF03089352>

Braam, Arjan W., Schrier, Agnes C., Tuinebreijer, Wilco C., Beekman, Aartjan T.F., Dekker, Jack J.M. en Wit, Matty A.S. (2010). Religious coping and depression in multicultural Amsterdam: A comparison between native Dutch citizens and Turkish, Moroccan and Surinamese/Antillean migrants. Journal of Affective Disorders, 125 (1-3), 269-278. <http://www.ncbi.nlm.nih.gov/pubmed/20334926>

Driessen, Ellen, Cuijpers, Pim, Maat, Saskia C.M. de, Abbass, Allan A., Jonghe, Frans de en Dekker, Jack J.M. (2010). The efficacy of short-term psychodynamic psychotherapy for depression: A metaanalysis. Clinical Psychology Review, 30 (1), 25-36. <http://www.ncbi.nlm.nih.gov/pubmed/19766369>

Post, L. van der, Dekker, J.J.M., Jonkers, J.F.J., Beekman, A.T., Mulder, C.L., Haan, L. de, Mulder, W.G. & Schoevers, R.A. (2010) Crisis intervention and acute psychiatry in Amsterdam, 20 years of change: a historical comparison of consultations in 1983 and 2004-2005. International Journal of Social Psychiatry, 56 (4), 348-358. <http://www.ncbi.nlm.nih.gov/pubmed/19617280>

Peen, J., Schoevers, R.A., Beekman, A.T. en Dekker, J. (2010). The current status of urban-rural differences in psychiatric disorders. Acta Psychiatrica Scandinavica, 121 (2), 84-93. <http://www.ncbi.nlm.nih.gov/pubmed/19624573>

Fassaert, Thijs, Peen, Jaap, Straten, Annemieke van, Wit, Matty de, Schrier, Agnes, Heijen, Henk, Cuijpers, Pim, Verhoeff, Arnoud, Beekman, Aartjan, Dekker, Jack. (2010). Ethnic differences and similarities in outpatient treatment for depression in the Netherlands. Psychiatric Services, 2010 Jul;61 (7):690-697. <http://www.ncbi.nlm.nih.gov/pubmed/20592004>

Driessen, Ellen, Cuijpers, Pim, Hollon, Steven D. en Dekker, Jack J.M. (2010). Does Pretreatment severity moderate the efficacy of psychological treatment of adult outpatient depression? A metaanalysis. Journal of Consulting and Clinical Psychology, 78 (5), 668-680. <http://www.ncbi.nlm.nih.gov/pubmed/20873902>

Fassaert, Th., Nielen, M., Verheij, R., Verhoeff, A., Dekker, J., Beekman, A. en Wit, M. de (2010). Quality of care for anxiety and depression in different ethnic groups by family practitioners in urban areas in the Netherlands. General Hospital Psychiatry, 32 (4), 368-376. <http://www.ncbi.nlm.nih.gov/pubmed/20633740>

Dekker, Jack J.M., Jan Theunissen, Rien Van, Pim Duurkoop en Martijn Kikkert (2010). Victimization of patients with severe psychiatric disorders: prevalence, risk factors, protective factors and consequences for mental health: a longitudinal study. BMC Public Health, 10: 687 <http://www.biomedcentral.com/1471-2458/10/687>

Hendriksen M, Van R, Peen J, Oudejans S, Schoevers R, Dekker J. (2010) Psychometric properties of the Helping Alliance Questionnaire-I in psychodynamic psychotherapy for major depression. Psychotherapy Research. 2010 Sep;20 (5), 589-598. <http://www.ncbi.nlm.nih.gov/pubmed/20645218>

Schrier AC, de Wit MA, Rijmen F, Tuinebreier WC, Verhoeff AP, Kipka RW, Dekker J, Beekman AT (2010) Similarity in depressive symptom profile in a population-based study of migrants in the Netherlands . Soc psychiatry Psychiatr Epidemiol 2010 Oct; 45 (10):941-951. <http://www.ncbi.nlm.nih.gov/pubmed/19763363>

van kortdurende psychodynamische psychotherapie bij depressie: een meta-analyse. In Luyten P, Vanmechelen W, Hebbrecht M. Depressie: actuele psychoanalytische benaderingen (p. 169-195). Antwerpen-Apeldoorn: Garant. 2011
<http://www.tijdschriftvoorpsychiatrie.nl/issues/448/articles/9275>

Udo Nabitz, Suzan Oudejans, Jack Dekker, Wim van den Brink (2011) Kwaliteit van de verslavingszorg: het resultaat van vijf opiniepeilingen tussen 1996 en 2008. In: MGV: maandblad geestelijke volksgezondheid, 2011; 66 (11): 853-863. <http://www.mgvonline.nl/artikelen/kwaliteit-van-de-verslavingszorg/>

Polak M, Abraham RE, Van HL, Ingenhoven T (2010). Interrater reliability in unbalanced designs. Bulletin of the Menninger Clinic. 74: 238-244.

Hendriksen M, Van HL, Schoevers R, Oudejans S, Peen J, Dekker J (2010). Towards further predictive validity and conceptualization of the Helping Alliance Questionnaire. Psychotherapy Research 20:589598

Polak M, Van HL, Overeem-Seldenrijk J, Heiser W, Abraham R (2010). The developmental profile: Validation of a theory-driven instrument for personality assessment. Psychotherapy Research 20: 259-272.

2009

Van HL, Schoevers RA, Peen J, Abraham RA, Dekker J (2009). Predictive value of self-reported and observer rated defense style in psychotherapy for depression. American Journal of Psychotherapy 63: 25-39.

Van HL, Dekker J, Koelen JA, Kool S, van Aalst G, Hendriksen M, Peen J, Schoevers RA (2009). Patients preference compared to random allocation in Short-term Psychodynamic Supportive Psychotherapy with indicated addition of pharmacotherapy for depression. Psychotherapy Research 19: 205-212.

Van HL (2009). Chronische depressie in beeld. Tijdschrift voor Psychiatrie 51: 737-740

Van HL, Dekker J, de Jonghe F, Hendriksen M, de Maat S, Abraham R, Schoevers R (2009). Object relaties bij depressies. Klinische implicaties van theorie en onderzoek. Tijdschrift voor Psychoanalyse 15:29-44.

2008

Van HL, Hendriksen M, Schoevers RA, Peen J, Abraham RA, Dekker J (2008). Predictive value of object relations for working alliance and outcome in psychotherapy for depression: an exploratory study. Journal of Nervous and Mental Disease 196: 655-663.

Maat de S, Dekker J, Schoevers R, Gijsbers-van Wijk C, Hendriksen M, Kool S, Peen J, Van HL, de Jonghe F (2008). Short psychodynamic supportive psychotherapy, antidepressants, and their combination in the treatment of major depression. Depression and Anxiety 25:565-574

Van HL, Schoevers RA, Peen J, van Aalst G, Dekker J (2008). Identifying patients at risk for complete non response in the outpatient treatment of depression. Psychotherapy & Psychosomatics 77:358364.

Van HL, Schoevers RA, Dekker J (2008). Predicting outcome of antidepressants and psychotherapy for depression: A systematic qualitative review. Harvard Review of Psychiatry 16: 225-234.

Van HL, Schoevers RA, Kool S, Hendriksen M, Peen J, Dekker J (2008). Does early response predict outcome in psychotherapy and combined therapy? Journal of Affective Disorders 105: 261-265.

Schoevers RA, Van HL, Koppelmans V, Kool S, Dekker J (2008). Managing the Patient with CoMorbid Depression and an Anxiety Disorder. Therapy In Practice. Drugs. 68(12):1621-1634.

Dekker J, Koelen J, Van HL, Kool S, van Aalst G, Peen J, Schoevers RA. Speed of action (2008). Journal of Affective Disorders 109: 183-188.

Van HL (2008). Exploring predictive factors in depression treatment. The role of patient characteristics and psychodynamic diagnosis. Thesis VU Amsterdam.

Vellinga A, Van HL (2008) Publicatiebias en de ogenschijnlijke effectiviteit van antidepressiva Tijdschrift voor Psychiatrie 49:302-303